

hp designjet
printer family
fall 2000

fast



smart



hp designjet colorpro cad

A high-performance technical printing solution



13 x 19"

For architects, engineers, and technical professionals

print quality

- Precise illustrations, line drawings, and renderings
- True 600-dpi color and black
- HP DesignJet imaging technology delivers uncompromising image quality. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* B-size 11 x 17 inch

- Line drawings
15 seconds
fast mode
- Color images
9 minutes
best mode

memory

- Standard
44 MB
- Maximum
76 MB

connectivity

- Languages: HPGL/2, HP PCL 3
- Drivers: AutoCAD®, Microsoft® Windows®, Unix®, Linux via utility
- Interfaces: Centronics parallel, IEEE 1284 compliant

details

- Print full-bleed, 11- x 17-inch checkprints, final line drawings, handouts, renders and presentations
- Use the same HP DesignJet Windows and AutoCAD drivers as the HP DesignJet large-format printers for seamless workflow integration
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities
- Accurate and scalable lines up to full-bleed B-size
- Optional Adobe® PostScript® 3™ upgrade

ordering information

- C7777A (13 x 19 inch): \$1,450

hp designjet colorpro ga

A high-performance graphics printing solution



13 x 19"

For advertising agencies, design studios, and graphics professionals

print quality

- Fast, accurate design proofs, and presentations
- True 600-dpi color and black
- HP DesignJet imaging technology delivers uncompromising image quality. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* B-size 11 x 17 inch

- Line drawings
15 seconds
fast mode
- Color images
2 minutes
normal mode

memory

- Standard
4 MB
- Maximum
68 MB

connectivity

- Languages: Adobe® PostScript® 3™ via Adobe PressReady software
- Drivers: Microsoft® Windows®, Macintosh™
- Interfaces: Centronics parallel, IEEE 1294 compliant, Ethernet/EtherTalk

details

- Print full-bleed images from postcard- to tabloid-size
- Color images in just two minutes (B-size, normal mode)
- A powerful combination of color management tools eliminate guess work, consistent and accurate colors from screen to print
- Fontine® certified colors
- Standard press emulation support for SWOP, EuroScale, DIC US Commercial and Japanese
- ICC profiles for Windows and Macintosh
- Apple ColorSync™ compatibility
- Upgrade to a color digital proofer with the InMotion™ Matchprint™ Inkjet System for inkjet proofs that are targeted to the true InMotion Matchprint™ color standard

ordering information

- C7778A (13 x 19 inch): \$1,995

hp designjet 430

A personal, affordable, easy-to-use technical printing solution



36" x 24"

For individual technical users and small firms

print quality

- Sharp, black line drawings
- Addressable 600-dpi black

print performance* D-size: 24 x 36 inch

- Line drawings
90 seconds
fast mode
- Color images
60 H²/hour
best mode

memory

- Standard
4 MB
- Maximum
36 MB

connectivity

- Languages: HPGL/2, HPGL, HP RTL
- Drivers: AutoCAD®, Microsoft® Windows®
- Interfaces: IEEE 1284 compatible, RS-232C (Optional: HP JetDirect EX Plus and EX3 Plus external network interfaces)

details

- Precise ink placement ensures superior line quality and text
- Fast enough to give you quick turnaround
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities
- HP ZoomSmart scaling technology easily enlarges any image
- Convenient and easy to use with features such as: integrated automatic carrier, easy single-sheet loading, and simple front panel
- Fits into any office with tabletop design
- Accepts a wide variety of media to handle first to final draft
- Optional features include color upgrade kit, legs kit, roll feed.

ordering information

- C4713A (24 inch): \$1,495
- C4714A (36 inch): \$2,995

hp designjet 500

An affordable, professional technical printing solution



42 in
24 in

For architects, engineers, and technical individuals

print quality

- Precise illustrations, line drawings, and renderings
- 1200 x 600 dpi
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

- **Line drawings**
90 seconds
fast mode
- **Color images**
85 IP/hour
fast mode

memory

- **Standard**
16 MB
- **Maximum**
160 MB

connectivity

- Languages: HP-GL/2, HP RTU (Optional: HP-GL/3, HP RTU)
- Drivers: AutoCAD®, Microsoft® Windows®
- Interfaces: Centronics parallel, IEEE 1284 compliant (including ECP), USB 1.1 (Windows 98 and 2000), (Optional: HP Jetdirect® EIO internal print server)

details

- Industry-standard HP CAD languages for compatibility across major technical applications
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities
- HP ZoomSmart scaling technology easily enlarges any image
- Adobe® PostScript® 3™ RIP upgrade not available
- HP's color layering technology creates photo-quality results
- Optional Firey X4W external RIP provides EFI tools and workflow for graphics professionals (available fall 2000)

ordering information

- C77696 (24 inch) \$2,495
- C77708 (42 inch) \$3,695

hp designjet 500ps

An affordable, professional graphics printing solution with a software PostScript RIP



42 in
24 in

For small advertising agencies, design studios, and freelance graphic artists

print quality

- High-quality illustrations, proofs, and presentations
- 1200 x 600 dpi
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

- **Line drawings**
90 seconds
fast mode
- **Color images**
85 IP/hour
fast mode

memory

- **Standard**
16 MB
- **Maximum**
160 MB

connectivity

- Languages: Adobe® PostScript® 3™ via software RIP, HP-GL/3, HP RTU (Optional: HP-GL/2, HP RTU)
- Drivers: AutoCAD®, Microsoft® Windows®, Macintosh™
- Interfaces: Centronics parallel, IEEE 1284 compliant (including ECP), USB 1.1 (Windows 98 and 2000, Macintosh OS 8.1, 8.5, 8.6, 9.0) (Optional: HP Jetdirect EIO internal print server)

details

- HP's color layering technology creates photo-quality results
- Adobe PostScript 3 via software RIP
- A powerful combination of color management tools eliminates guess work, consistent and accurate colors from screen to print
- Fontware® certified colors
- Standard proof emulation support for SWOP, EuroScale, DIC, US Commercial and Japanese
- ICC profiles for Windows and Macintosh
- Apple ColorSync® compatibility
- HP ZoomSmart scaling technology easily enlarges any image

ordering information

- C7769C (24 inch) \$3,495
- C7770C (42 inch) \$4,395

hp designjet 800

A network-ready, professional technical printing solution



42 in
24 in

For architects, engineers, and technical workgroups

print quality

- Precise illustrations, line drawings, and renderings
- 2400 x 1200 dpi on glossy media
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple to use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

- **Line drawings**
60 seconds
fast mode
- **Color images**
85 IP/hour
fast mode

memory

- **Standard**
96 MB
- **Maximum**
1.60 MB
- 6 GB HD
- 6 GB HD

connectivity

- Languages: HP-GL/2, HP RTU, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows®, Unix®, Linux via utility
- Interfaces: Centronics parallel, IEEE 1284 compliant (including ECP), USB 1.1 (Windows 98 and 2000), Ethernet 10/100 Base-TX (Optional: HP Jetdirect EIO internal print server)

details

- Network ready—comes ready to print right out of the box
- Virtual compiler boosts productivity
- Industry-standard HP CAD languages for compatibility across major technical applications
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities
- HP's color layering technology creates photo-quality results
- HP ZoomSmart scaling technology easily enlarges any image
- Adobe® PostScript® 3™ RIP upgrade not available
- Optional Firey X4W external RIP provides EFI tools and workflow for graphics professionals (available fall 2000)

ordering information

- C77798 (24 inch) \$5,795
- C77808 (42 inch) \$6,995

hp designjet 800ps

A network-ready, professional graphics printing solution with a built-in PostScript RIP



42 in
24 in

For advertising agencies, design studios, graphics workgroups, and corporate departments

print quality

- High-quality illustrations, proofs, and corporate graphics
- 2400 x 1200 dpi on glossy media
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

Line drawings	Color images
60 seconds fast mode	85 ff/hour fast mode

memory

Standard	Maximum
160 MB	160 MB
6 GB HDD	6 GB HDD

connectivity

- Languages: Adobe® PostScript® 3™, HP-GL/2, HP RTL, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows®, Macintosh™, Unix®, Linux via utility
- Interfaces: Centronics parallel, IEEE 1284 compliant (including ECP), USB 1.1 (Windows 98 and 2000, Macintosh OS 8.1, 8.5, 8.6, 9.0) (Optional: HP JetDirect EIO internal print servers)

details

- Built-in Adobe PostScript 3 RIP
- Network ready—comes ready to print right out of the box
- Virtual computer booth productivity
- A powerful combination of color management tools eliminates guess work, consistent and accurate colors from screen to print
- Random® certified colors
- Standard press emulation support for SWOP, EuroScale, DIC, US Commercial and Japanese
- ICC profiles for Windows and Macintosh
- Apple ColorSync® compatibility
- HP ZoomSmart scaling technology easily enlarges any image

ordering information

- C7790C (24 inch): \$6,995
- C7780C (42 inch): \$8,995

hp designjet 1 050c

A network-ready, high-volume technical printing solution



36 in

For CAD and technical departments

print quality

- Fast, accurate, line drawings, complex 3D renderings, and maps
- Addressable 1200-dpi line drawings and 600-dpi color images
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

Line drawings	Color images
2 minutes normal mode	200 ff/hour fast mode

memory

Standard	Maximum
16 MB	128 MB
	2 GB HD

connectivity

- Languages: HP-GL/2, HP-GL, HP RTL, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows®, Unix®, Linux via utility
- Interfaces: IEEE 1284 compatible (including ECP), Ethernet 10/100 Base-TX (Optional: HP JetDirect EIO internal print servers)

details


- Network ready—comes ready to print right out of the box
- HP Jetpress™ technology ensures high-speed printing through wide printheads and high nozzle volume—without sacrificing image quality
- Built-in smart chips identify low-ink levels and worn printheads
- High-capacity ink cartridges and long-life printheads
- Ink cartridges are independent and can be replaced individually
- HP ZoomSmart scaling technology easily enlarges any image
- Accommodates 300-lpi media rolls for unattended printing
- Industry-standard HP CAD languages for compatibility across major technical applications
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities
- Optional Adobe® PostScript® 3™ upgrade

ordering information

- C6074A (36 inch): \$8,995

hp designjet 1 055cm

A network-ready, high-volume technical printing solution with a built-in PostScript RIP



36 in

For CAD and technical departments

print quality

- Fast, accurate, line drawings, complex 3D renderings, and maps
- Addressable 1200-dpi line drawings and 600-dpi color images
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

Line drawings	Color images
2 minutes normal mode	200 ff/hour fast mode

memory

Standard	Maximum
32 MB	128 MB
2 GB HD	2 GB HD

connectivity

- Languages: Adobe® PostScript® 3™, HP-GL/2, HP-GL, HP RTL, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows®, Macintosh™, Unix®, Linux via utility
- Interfaces: IEEE 1284 compatible (including ECP), 10/100 Base-TX (Optional: HP JetDirect EIO internal print servers)

details

- Built-in Adobe PostScript 3 RIP
- Network ready—comes ready to print right out of the box
- HP Jetpress™ technology ensures high-speed printing through wide printheads and high nozzle volume—without sacrificing image quality
- Built-in smart chips identify low-ink levels and worn printheads
- High-capacity ink cartridges and long-life printheads
- Ink cartridges are independent and can be replaced individually
- HP ZoomSmart scaling technology easily enlarges any image
- Accommodates 300-lpi media rolls for unattended printing
- Industry-standard HP CAD languages for compatibility across major technical applications
- Custom HP-developed AutoCAD and Windows drivers maximize printer capabilities

ordering information

- C6075A (36 inch): \$11,995

hp designjet 2000cp/3000cp

A durable graphics printing solution for use with external RIPs

54"
36"



For print service providers, retailers, and signmakers

print quality

- Durable, photo-quality images for indoor and outdoor applications
- True 600-dpi color and black

print performance* D-size: 24 x 36 inch

- 2000cp Color images
42 f²/hour
normal mode
- 3000cp Color images
46 f²/hour
productivity mode

memory

- 2000cp
8 MB
- 3000cp
12 MB

- Maximum
68 MB
- Maximum
68 MB

connectivity

- Languages: HPGL/2, HP RTL
- Drivers: AutoCAD®, Microsoft® Windows®, Unix®, Linux via utility
- Interfaces: IEEE 1284 compatible parallel (Optional: HP Jetdirect internal print servers)

details

- Requires external RIP or supplied Windows or AutoCAD drivers
- Two ink systems: indoor and outdoor UV
- Large-capacity ink system prints up to 2000 f² between dye-based ink system changes
- HP Zoomsmart technology easily enlarges any image
- Automatic printhead alignment
- Not upgradeable to HP DesignJet 2500cp/3500cp printer

ordering information

- CA703A, 2000cp (36 inch): \$8,995
- CA723A, 3000cp (54 inch): \$13,995

hp designjet 2500cp/3500cp

A network-ready, durable, graphics printing solution with a built-in PostScript RIP

54"
36"



For print service providers, retailers, and signmakers

print quality

- Durable photo-quality images for indoor and outdoor applications
- True 600-dpi color and black

print performance* D-size: 24 x 36 inch

- 2500cp Color images
42 f²/hour
normal mode
- 3500cp Color images
46 f²/hour
productivity mode

memory

- 2500cp
36 MB
4.3 GB HD
- 3500cp
36 MB
4.3 GB HD

- Maximum
68 MB
- Maximum
4.3 GB HD

connectivity

- Languages: Adobe® PostScript® 3™, HPGL/2, HP RTL
- Drivers: AutoCAD®, Microsoft® Windows®, Macintosh™, Unix®, Linux via utility
- Interfaces: IEEE 1284 compatible parallel, Ethernet/LocalTalk (Optional: HP Jetdirect internal print servers)

details

- Network ready—comes ready to print right out of the box
- Can also be used with an external RIP
- Two ink systems: indoor and outdoor UV
- Large-capacity ink system prints up to 2000 f² between dye-based ink system changes
- HP Zoomsmart technology easily enlarges any image
- Automatic printhead alignment
- Automatic color calibration
- Pantone® certified colors
- Standard press emulations support for SWOP, EuroScale, DIC, US Commercial and TOYO
- ICC profiles for Windows and Macintosh
- Apple ColorSync® compatibility
- Not upgradeable to HP DesignJet 2800cp/3800cp printer

ordering information

- CA704A, 2500cp (36 inch): \$11,995
- CA724A, 3500cp (54 inch): \$16,995

hp designjet 2800cp/3800cp

A network-ready, durable, graphics printing solution with an external Fiery X2CP RIP

54"
36"



For print service providers, retailers, and signmakers

print quality

- Durable photo-quality images for indoor and outdoor applications
- True 600-dpi color and black

print performance* D-size: 24 x 36 inch

- 2800cp Color images
43 f²/hour
high-speed normal
- 3800cp Color images
47 f²/hour
high-speed productivity

memory

- 2800cp
8 MB
RIP: 64 MB
- 3800cp
12 MB
RIP: 64 MB

- Maximum
68 MB
RIP: 512 MB
- Maximum
68 MB
RIP: 512 MB

connectivity

- Languages: Adobe® PostScript® 3™, (PS, EPS, PDF, TIFF)
- Drivers: Microsoft® Windows®, Macintosh™, Unix®
- Interfaces: IEEE 1284 compatible parallel, Ethernet/LocalTalk

details

- Network ready—comes ready to print right out of the box
- EFI Fiery X2CP RIP hardware included
- Two ink systems: indoor and outdoor UV
- Large-capacity ink system prints up to 2000 f² between dye-based ink system changes
- HP Zoomsmart technology easily enlarges any image
- Automatic printhead alignment
- Automatic color matching
- Pantone® matching
- Standard press emulations support for SWOP, EuroScale, and DIC
- Apple ColorSync® compatibility

ordering information

- C6085A, 2800cp (36 inch): \$11,995
- C6084A, 3800cp (54 inch): \$18,995

*One-year warranty for all printers delivers free, on-site, next-business-day service, backed by HP support centers around the world.

hp designjet 5000

A network-ready, high-volume graphics printing solution for use with external RIPs.



60" in
42" in

For print service providers, retailers, and commercial graphics professionals

print quality

- Superior photographic images, illustrations, graphics, and signage
- 1200 x 600 dpi
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

• 42 inch 499 ft ² /hour fast mode	• 60 inch 569 ft ² /hour fast mode
---	---

memory

• Standard 128 MB 5.5GB HD	• Maximum 256 MB 5.5GB HD
----------------------------------	---------------------------------

connectivity

- Languages: HPGL/2, HP RTL, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows® 3™, Unix®, Linux via utility
- Interfaces: Centronics parallel, IEEE 1284 compliant, Ethernet 10/100 Base-TX, supporting TCP/IP (including LPR and IPP), AppleTalk®, DIC/LUC and IPX/SFX protocols

details

- HP Jetpress™ technology ensures high-speed printing through wide printheads and high nozzle volume—without sacrificing image quality
- HP DesignJet Webaccess lets you manage print jobs from any Internet connection
- HP's color layering technology creates photo-quality results
- Network ready—comes ready to print right out of the box
- Two ink systems: indoor and outdoor UV**
- High capacity ink cartridges and long life printheads
- Built-in smart chips: identify low-ink levels and warn printheads
- Ink cartridges are independent and can be replaced individually
- HP ZoomSmart scaling technology easily enlarges any image
- Adobe® PostScript® 3™ internal RIP upgrade not available
- Optional Finer X4:VX external RIP provides EFI tools and workflow for graphics professionals (available Fall 2000)

ordering information

- C6090A (42 inch): \$10,495
- C6095A (60 inch): \$16,995

**UV inks available Spring 2001

hp designjet 5000ps

A network-ready, high-volume graphics printing solution with a built-in PostScript RIP



60" in
42" in

For print service providers, retailers, and commercial graphics professionals

print quality

- Superior photographic images, illustrations, graphics, and signage
- 1200 x 600 dpi
- HP DesignJet imaging technology delivers uncompromising image quality at top speed. Smart printing tools provide customers with low cost of ownership, simple-to-use interface and a high degree of unattended printing

print performance* D-size: 24 x 36 inch

• 42 inch 499 ft ² /hour fast mode	• 42 inch Maximum 128 MB 20 GB HD	• 60 inch Standard 192 MB 20 GB HD	• 60 inch Maximum 256 MB 20 GB HD
---	--	---	--

memory

• 42 inch Standard 128 MB 20 GB HD	• 42 inch Maximum 256 MB 20 GB HD	• 60 inch Standard 192 MB 20 GB HD	• 60 inch Maximum 256 MB 20 GB HD
---	--	---	--

connectivity

- Languages: Adobe® PostScript® 3™, HPGL/2, HP RTL, CALS G4
- Drivers: AutoCAD®, Microsoft® Windows® 3™, Macintosh™, Unix®, Linux via utility
- Interfaces: Centronics parallel, IEEE 1284 compliant, 10/100 Base-TX print server, supporting TCP/IP (including LPR and IPP), AppleTalk®, DIC/LUC and IPX/SFX protocols

details

- Built-in Adobe PostScript 3 RIP
- HP Jetpress™ technology ensures high-speed printing through wide printheads and high nozzle volume—without sacrificing image quality
- HP DesignJet Webaccess lets you manage print jobs from any Internet connection
- "Virtual computer" boosts productivity by processing the next job while printing
- HP's color layering technology creates photo-quality results
- Network ready—comes ready to print right out of the box
- Two ink systems: indoor and outdoor UV**
- Randon® certified colors
- Standard press emulations support for SWOP, EuroScale, DIC, US Commercial and Japanese
- ICC profiles for Windows and Macintosh
- Apple ColorSync® compatibility
- High capacity ink cartridges and long-life printheads
- Built-in smart chips identify low-ink levels and warn printheads
- Ink cartridges are independent and can be replaced individually
- HP ZoomSmart scaling technology easily enlarges any image

ordering information

- C6091A (42 inch): \$13,995
- C6096A (60 inch): \$20,995

hp printing material

HP Printing Material offers a broad range of solutions, from premium products for uncompromising image quality to economical products for best value and flexibility.

	Dye	UV
hp bright white inkjet paper (bond)	24 lb. (90g/m ²) • 150 ft. 24 lb. (90g/m ²) • 300 ft.	
hp coated paper	26 lb. (98g/m ²) • 150 ft. 26 lb. (98g/m ²) • 300 ft.	
hp heavyweight coated paper new! (for 5000, 800, and 500 Series printers)	35 lb. (130g/m ²) • 100 ft.	
hp heavyweight coated paper	35 lb. (130g/m ²) • 100 ft.	
hp photo imaging glass	7 mil (178g/m ²) • 100 ft.	
hp photo imaging satin	7 mil (178g/m ²) • 100 ft.	
hp high-gloss photo paper (for 1000, 800, and 500 Series printers)	8 mil (207g/m ²) • 100 ft.	
hp high-gloss photo paper (for CP, 800, and 500 Series printers)	7 mil (170g/m ²) • 100 ft.	
hp semi-gloss photo paper (for CP, 800, and 500 Series printers)	7 mil (170g/m ²) • 100 ft.	
hp paper-based semi-gloss	6 mil (160g/m ²) • 100 ft.	
hp colorlucet backlit UV	6 mil (200g/m ²) • 100 ft.	
hp studio canvas	20 mil (366g/m ²) • 35 ft.	
hp banners with Tyvek®	10 mil (140g/m ²) • 50 ft.	
hp colorfast adhesive vinyl	6 mil (328g/m ²) • 40 ft.	
hp satin poster paper	43 lb. text (62g/m ²) • 100 ft.	
hp high-gloss white film	4 mil (159g/m ²) • 70 ft.	
hp matte film	5 mil (198g/m ²) • 120 ft.	
hp clear film	4 mil (174g/m ²) • 75 ft.	
hp natural tracing paper	3 mil (90g/m ²) • 150 ft.	
hp translucent bond	3 mil (67g/m ²) • 150 ft.	
hp velum	3 mil (75g/m ²) • 150 ft.	
hp design heavyweight paper	35 lb. Text (130g/m ²)	
hp design glossy paper	6 mil (158g/m ²)	
3M® changeable opaque imaging media	7 mil (178 microns) • 45 ft.	
3M® lustre overlaminate	2 mil • 75 ft.	
3M® matte overlaminate	2 mil • 75 ft.	

- color
- color line drawings

For complete HP Printing Material information, visit www.hp.com/go/ips

DesignJet printer models

Resolution	5000/5000ps	1050c/1055cm	800/800ps	500/500ps	430	colorpro cad	colorpro ga
24 in. 610mm	•	•	•	•	•	•	•
36 in. 914mm	•	•	•	•	•	•	•
42 in. 1067mm	•	•	•	•	•	•	•
54 in. 1372mm	•	•	•	•	•	•	•
60 in. 1524mm	•	•	•	•	•	•	•
B+ size 13" x 19"	•	•	•	•	•	•	•
Model	C1860A	C1861A	C6810A	C6811A	C6812A	C6813A	C6814A
Model	C6815A	C6816A	C6817A	C6818A	C6819A	C6820A	C6821A
Model	C6822A	C6823A	C6824A	C6825A	C6826A	C6827A	C6828A
Model	C6829A	C6830A	C6831A	C6832A	C6833A	C6834A	C6835A
Model	C6836A	C6837A	C6838A	C6839A	C6840A	C6841A	C6842A
Model	C6843A	C6844A	C6845A	C6846A	C6847A	C6848A	C6849A
Model	C6850A	C6851A	C6852A	C6853A	C6854A	C6855A	C6856A
Model	C6857A	C6858A	C6859A	C6860A	C6861A	C6862A	C6863A
Model	C6864A	C6865A	C6866A	C6867A	C6868A	C6869A	C6870A
Model	C6871A	C6872A	C6873A	C6874A	C6875A	C6876A	C6877A
Model	C6878A	C6879A	C6880A	C6881A	C6882A	C6883A	C6884A
Model	C6885A	C6886A	C6887A	C6888A	C6889A	C6890A	C6891A
Model	C6892A	C6893A	C6894A	C6895A	C6896A	C6897A	C6898A
Model	C6899A	C6900A	C6901A	C6902A	C6903A	C6904A	C6905A
Model	C6906A	C6907A	C6908A	C6909A	C6910A	C6911A	C6912A
Model	C6913A	C6914A	C6915A	C6916A	C6917A	C6918A	C6919A
Model	C6920A	C6921A	C6922A	C6923A	C6924A	C6925A	C6926A
Model	C6927A	C6928A	C6929A	C6930A	C6931A	C6932A	C6933A
Model	C6934A	C6935A	C6936A	C6937A	C6938A	C6939A	C6940A
Model	C6941A	C6942A	C6943A	C6944A	C6945A	C6946A	C6947A
Model	C6948A	C6949A	C6950A	C6951A	C6952A	C6953A	C6954A
Model	C6955A	C6956A	C6957A	C6958A	C6959A	C6960A	C6961A
Model	C6962A	C6963A	C6964A	C6965A	C6966A	C6967A	C6968A
Model	C6969A	C6970A	C6971A	C6972A	C6973A	C6974A	C6975A
Model	C6976A	C6977A	C6978A	C6979A	C6980A	C6981A	C6982A
Model	C6983A	C6984A	C6985A	C6986A	C6987A	C6988A	C6989A
Model	C6990A	C6991A	C6992A	C6993A	C6994A	C6995A	C6996A
Model	C6997A	C6998A	C6999A	C7000A	C7001A	C7002A	C7003A
Model	C7004A	C7005A	C7006A	C7007A	C7008A	C7009A	C7010A
Model	C7011A	C7012A	C7013A	C7014A	C7015A	C7016A	C7017A
Model	C7018A	C7019A	C7020A	C7021A	C7022A	C7023A	C7024A
Model	C7025A	C7026A	C7027A	C7028A	C7029A	C7030A	C7031A
Model	C7032A	C7033A	C7034A	C7035A	C7036A	C7037A	C7038A
Model	C7039A	C7040A	C7041A	C7042A	C7043A	C7044A	C7045A
Model	C7046A	C7047A	C7048A	C7049A	C7050A	C7051A	C7052A
Model	C7053A	C7054A	C7055A	C7056A	C7057A	C7058A	C7059A
Model	C7060A	C7061A	C7062A	C7063A	C7064A	C7065A	C7066A
Model	C7067A	C7068A	C7069A	C7070A	C7071A	C7072A	C7073A
Model	C7074A	C7075A	C7076A	C7077A	C7078A	C7079A	C7080A
Model	C7081A	C7082A	C7083A	C7084A	C7085A	C7086A	C7087A
Model	C7088A	C7089A	C7090A	C7091A	C7092A	C7093A	C7094A
Model	C7095A	C7096A	C7097A	C7098A	C7099A	C7100A	C7101A
Model	C7102A	C7103A	C7104A	C7105A	C7106A	C7107A	C7108A
Model	C7109A	C7110A	C7111A	C7112A	C7113A	C7114A	C7115A
Model	C7116A	C7117A	C7118A	C7119A	C7120A	C7121A	C7122A
Model	C7123A	C7124A	C7125A	C7126A	C7127A	C7128A	C7129A
Model	C7130A	C7131A	C7132A	C7133A	C7134A	C7135A	C7136A
Model	C7137A	C7138A	C7139A	C7140A	C7141A	C7142A	C7143A
Model	C7144A	C7145A	C7146A	C7147A	C7148A	C7149A	C7150A
Model	C7151A	C7152A	C7153A	C7154A	C7155A	C7156A	C7157A
Model	C7158A	C7159A	C7160A	C7161A	C7162A	C7163A	C7164A
Model	C7165A	C7166A	C7167A	C7168A	C7169A	C7170A	C7171A
Model	C7172A	C7173A	C7174A	C7175A	C7176A	C7177A	C7178A
Model	C7179A	C7180A	C7181A	C7182A	C7183A	C7184A	C7185A
Model	C7186A	C7187A	C7188A	C7189A	C7190A	C7191A	C7192A
Model	C7193A	C7194A	C7195A	C7196A	C7197A	C7198A	C7199A
Model	C7200A	C7201A	C7202A	C7203A	C7204A	C7205A	C7206A
Model	C7207A	C7208A	C7209A	C7210A	C7211A	C7212A	C7213A
Model	C7214A	C7215A	C7216A	C7217A	C7218A	C7219A	C7220A
Model	C7221A	C7222A	C7223A	C7224A	C7225A	C7226A	C7227A
Model	C7228A	C7229A	C7230A	C7231A	C7232A	C7233A	C7234A
Model	C7235A	C7236A	C7237A	C7238A	C7239A	C7240A	C7241A
Model	C7242A	C7243A	C7244A	C7245A	C7246A	C7247A	C7248A
Model	C7249A	C7250A	C7251A	C7252A	C7253A	C7254A	C7255A
Model	C7256A	C7257A	C7258A	C7259A	C7260A	C7261A	C7262A
Model	C7263A	C7264A	C7265A	C7266A	C7267A	C7268A	C7269A
Model	C7270A	C7271A	C7272A	C7273A	C7274A	C7275A	C7276A
Model	C7277A	C7278A	C7279A	C7280A	C7281A	C7282A	C7283A
Model	C7284A	C7285A	C7286A	C7287A	C7288A	C7289A	C7290A
Model	C7291A	C7292A	C7293A	C7294A	C7295A	C7296A	C7297A
Model	C7298A	C7299A	C7300A	C7301A	C7302A	C7303A	C7304A
Model	C7305A	C7306A	C7307A	C7308A	C7309A	C7310A	C7311A
Model	C7312A	C7313A	C7314A	C7315A	C7316A	C7317A	C7318A
Model	C7319A	C7320A	C7321A	C7322A	C7323A	C7324A	C7325A
Model	C7326A	C7327A	C7328A	C7329A	C7330A	C7331A	C7332A
Model	C7333A	C7334A	C7335A	C7336A	C7337A	C7338A	C7339A
Model	C7340A	C7341A	C7342A	C7343A	C7344A	C7345A	C7346A
Model	C7347A	C7348A	C7349A	C7350A	C7351A	C7352A	C7353A
Model	C7354A	C7355A	C7356A	C7357A	C7358A	C7359A	C7360A
Model	C7361A	C7362A	C7363A	C7364A	C7365A	C7366A	C7367A
Model	C7368A	C7369A	C7370A	C7371A	C7372A	C7373A	C7374A
Model	C7375A	C7376A	C7377A	C7378A	C7379A	C7380A	C7381A
Model	C7382A	C7383A	C7384A	C7385A	C7386A	C7387A	C7388A
Model	C7389A	C7390A	C7391A	C7392A	C7393A	C7394A	C7395A
Model	C7396A	C7397A	C7398A	C7399A	C7400A	C7401A	C7402A
Model	C7403A	C7404A	C7405A	C7406A	C7407A	C7408A	C7409A
Model	C7410A	C7411A	C7412A	C7413A	C7414A	C7415A	C7416A
Model	C7417A	C7418A	C7419A	C7420A	C7421A	C7422A	C7423A
Model	C7424A	C7425A	C7426A	C7427A	C7428A	C7429A	C7430A
Model	C7431A	C7432A	C7433A	C7434A	C7435A	C7436A	C7437A
Model	C7438A	C7439A	C7440A	C7441A	C7442A	C7443A	C7444A
Model	C7445A	C7446A	C7447A	C7448A	C7449A	C7450A	C7451A
Model	C7452A	C7453A	C7454A	C7455A	C7456A	C7457A	C7458A
Model	C7459A	C7460A	C7461A	C7462A	C7463A	C7464A	C7465A
Model	C7466A	C7467A	C7468A	C7469A	C7470A	C7471A	C7472A
Model	C7473A	C7474A	C7475A	C7476A	C7477A	C7478A	C7479A
Model	C7480A	C7481A	C7482A	C7483A	C7484A	C7485A	C7486A
Model	C7487A	C7488A	C7489A	C7490A	C7491A	C7492A	C7493A
Model	C7494A	C7495A	C7496A	C7497A	C7498A	C7499A	C7500A

Product information, compatibility and printing media only—not for printing

TrueView is a registered trademark of the Dapont Company



Visit the HP DesignJet web site at www.hp.com/go/designjet

As an ENERGY STAR® Partner, Hewlett-Packard has determined that this product meets ENERGY STAR® guidelines for energy efficiency. Postscript is a trademark of Adobe Systems Incorporated. AppleTalk and Macintosh are trademarks of Apple Computer, Inc., registered in the U.S.A. and other countries. AutoCAD is a registered trademark of Autodesk, Inc. in the US and other countries. Windows NT are either registered trademarks or trademarks of Microsoft Corporation in the United States and other countries. UNIX is a registered trademark of the Open Group in the US and other countries. PANTONE is a registered trademark of Pantone, Inc. Ination, the Ination logo and Matchprint are trademarks of Ination Corp. ColorSync is a trademark of Apple Computer, Inc registered in the US and other countries, under license. Energy Star is a registered trademark of the US Department of Energy.

The information in this document is subject to change without notice.
 ©2000 Hewlett-Packard Company
 Printed in the USA 8/00
 5980-2207EUS

Images provided courtesy of © 1999, ACA España; © 2000, Turquest, Diaz y Asociados; © RealTime Visualisation; © 2000, MASTERFILE; © 2000, Index; © 2000, Image Bank; © 2000, ER Mapper